1. Open Start->Setting->Network and Dial-up Connections



2. In the Network and Dial-up Connections Panel Select Make New Connection and Double click

<u>F</u> ile <u>E</u> dit	<u>V</u> iew Adv	va <u>n</u> ced 🗙						
	\$	\$	5	<u>_</u>	<u>7</u>	<i></i> ?}	<u></u>	
Make New Connection	Connection on COM1	Connection on COM2	Connection on COM3	Connection on COM4	PCI- RTL81391	PCI- VNWLC51	BTPAN1	
💦 Start 📲	Command Pr	ompt	🔍 🚳 Netv	vork Connecti	ons			🌲 🕹 🕵 1:19

3. In the Make New Connection Dialogue, input your connection name, then Click Next

<u>F</u> ile <u>E</u> dit	<u>V</u> iew Adv	va <u>n</u> ced 🗙							
-	<u></u>	<u>_</u>	<u></u>	<u></u>	2 <u>1</u>	<i></i> ?}	21 L		
Make New Connection	Connection on COM1	Connection on COM2	Connection on COM3	Connection on COM4	PCI- RTL81391	PCI- VNWLC51	BTPAN1		
			Make f	the connect MyGPRS the connecti Dial-Up (Direct C Virtual P Virtual P PPP ove	ion e connection: connection onnection rivate Networ rivate Networ r Ethernet (P < <u>B</u> ack	(k (PPTP) k (L2TP) PPoE] <u>N</u> ext >			
ಶ Start 🐰	Command Pr	ompt	🔍 🚳 Netv	vork Connecti	ons	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		¥4\$	1:20 /

4. When the Modem Dialogue popup, Choose "Hayes Compatible on COM4"

	<u> </u>								
Eile	<u>E</u> dit	<u>V</u> iew Adv	va <u>n</u> ced 🗙	📔 🖬 🖬					
9		5	\$	\$	\$	97 1	? ↓	<u></u>	
Make Conne	New ection	Connection on COM1	Connection on COM2	Connection on COM3	Connection on COM4	PCI- RTL81391	PCI- VNWLC51	BTPAN1	
				Moden	1			3	
				27	MyGPRS				
				Select	a modem:				
				Hayes	Compatible o	n COM4:	<u> </u>		
				Blue	tooth		<u>C</u> onfigure	J	
					/IP Settings	S <u>e</u> curi	ity Settings]	
						< <u>B</u> ack	<u>N</u> ext >	1	
								·	
💦 Sta	art 📲	Command Pr	ompt	🚳 Netv	vork Connecti	ons			🌉 🕹 💑 1:20 /

5. Click Button "configuration"

A	DVANT	FECH	Em	bedde	ed & A	Applie	d Con	nputing
<u>F</u> ile <u>E</u> dit	<u>V</u> iew Adv	va <u>n</u> ced 🗙						
File Edit	View Adv	Connection on COM2	Connection on COM3	Connection on COM4	PCI- RTL81391	PCI- VNWLC51	BTPAN1	
🍂 Start 🖁	Command Pr	ompt	Netwo	vork Connecti	ons			ن 1:21 ب

6. In the Port Settings menu, Change Baud Rate to "115200"

<u>File E</u> dit <u>V</u>	<u>V</u> iew Adva	a <u>n</u> ced 🗙						
S	\$	5	-	\$	<u>7</u>	 	<u>7</u>	
Make New C Connection	ionnection on COM1	Connection on COM2	Connection on COM3	Connection on COM4	PCI- RTL81391	PCI- VNWLC51	BTPAN1	
			Moder	D			×	
		Device P	roperties				? ОК	×
		Port Set	tings Call Op	tions				
		Manu strine	ual Dial (user s gs)	upplies dial	Conne Baud	ction Prefer Rate	rences	Į
		Termir	nals —		Data	Bits	8 💌	U
			lse terminal w <u>e</u> fore dialing Ise terminal w ialing	indow indow <u>a</u> fter	<u>P</u> arity Stop Elow	Bits Control	None 💌 1 💌 Hardware 💌	I I I
					< <u>B</u> ack	<u>N</u> ext >	·	
💐 Start 🛛 🏙 O	iommand Pro	mpt	🔍 🔍 Netw	ork Connectio	ons	Device Prope	erties	44

7. Switch to Call Options Menu, in the Extra Settings textbox, input +cgdcont=1,"IP","internet"

Notice: This command line depends on which ISP sponsor you. Below sample command line is only for FetNet.

<u>File Edit Yiew Advanced X</u>			
😼 🎐 💈	s s	\$ <u>1</u>	
Make New Connection Connection Con Connection on COM1 on COM2 on	nection Connection PCI- I COM3 on COM4 RTL81391	PCI- BTPAN1 VNWLC51	
	Modem		
Device Prope	uties	? OK 🔀	
Port Settings	Call Options		
Call Setup ✔ ⊆ance ✔ ₩ait f ₩a	al the call if not connected within for dial tone before dialing ait for credit card <u>t</u> one 0 seco	120 seconds nds	
E <u>x</u> tra Setting	gs (special modem commands may b +cgdcont=1,"IP","internet"	be inserted into the dial string)	
	< <u>B</u> ack	Next >	
🐉 Start 🗱 Command Prompt	SNetwork Connections	Device Properties	🌉 🕹 💑 1:23 /

8. In the Phone Number Dialogue, input *99***1# (FetNet number) as Phone number as well as check the "Force local"

<u>F</u> ile <u>E</u> dit	<u>V</u> iew Adv	anced 🗙							
-	5	<u>_</u>	<u>_</u>	<u></u>	2 1	<i></i> ?₁	97 L		
Make New Connection	Connection on COM1	Connection on COM2	Connection on COM3	Connection on COM4	PCI- RTL81391	PCI- VNWLC51	BTPAN1		
			Phone Count Area o Phone Eo	Number MyGPRS ry/region code ode: number: rce long distar rce local	2: 1 425 *99*** nce < <u>B</u> ack	*1#			
🎝 Start 📲	Command Pr	ompt	🔍 🚳 Netv	vork Connectio	ons			ي الم	44

9. Once complete previous steps, your new connection will be created.

<u>File E</u> dit	<u>V</u> iew Adv	va <u>n</u> ced 🗙						
-	2 <u>,</u>	<u></u>	<u></u>	<u>_</u>	5	<u>7</u>	<i>`</i> ₽	97 2 <mark>4</mark>
Make New Connection	MyGPRS	Connection on COM1	Connection on COM2	Connection on COM3	Connection on COM4	PCI- RTL81391	PCI- VNWLC51	BTPAN1
		Dial-Up Cont Solution User Nam Bassword	nection MyGPRS Ie:		Phone: Dial from Home	425 *99*):	***1#	
		D <u>o</u> main:	 <u>S</u> av	e password	Co	nnect	Cancel	
ಶ Start 🚦	Command Pi	rompt	🔍 🔍 Netwo	ork Connection	ns 🚺	,MyGPRS Stat	us	🗌 🍉 🙏 🕹 💑 1:25 /

10. Double Click your new connection and Click Button "Connect"

MyOPRS	Status	×	MyGPRS) Status	
<u>3</u> 7	Opening Port		2	Device Connected	
	Hide this message;	Hide		Hide this message:	Hide
	Cancel connection:	Cancel		Cancel connection:	Cancel
			.		
MyGPRS	Status		MyGPRS	Status	
2	Authenticating User		2	Connected	
	Hide this message:	Hide		Hide this message;	Hide
	Cancel connection:	Cancel			Disconnect
]_ 4 4 🔆 1 :	29 AM	B	